

## Books and monographs

Hall, NG 1981, Fish population dynamics routines for use in fisheries analysis. Kuwait Institute for Scientific Research, Technical Report, **298**, 222 pp.

## Chapters in books

- Brown, RS, Caputi, N & Hall, NG 1994, Measurement of catch and fishing effort in the western rock lobster fishery. In: Phillips B. F., Cobb, J. S., and Kittaka, J. (Eds), *Spiny lobster management*. Blackwell Scientific Publications, Oxford, 262-284.
- Caputi, C, Chubb, C, Hall, N & Pearce, A 1997, Relationships between different life history stages of the western rock lobster, *Panulirus cygnus*, and their implications for management. In: Hancock, DA, Smith, DC, Grant, A & Beumer, JP (Eds). *Developing and sustaining world fisheries resources. The state of science and management*. CSIRO, Collingwood, Australia, 579-585.
- Hall, NG & Brown, RS 1994, Modelling for management - the western rock lobster fishery. In: Phillips BF, Cobb, JS & Kittaka, J (Eds). *Spiny lobster management*. Blackwell Scientific Publications, Oxford, 311-322.
- Hall, NG, Brown, RS & Caputi, N 1990, A length-structured model of the western rock lobster fishery of Western Australia. In: Vincent, TL, Mees, AI & Jennings, LS (Eds). *Dynamics of complex interconnected biological systems*. Birkhäuser, Boston, 17-39.
- Penn, JW, Hall, NG & Caputi, N 1989, Resource assessment and management perspectives from the penaeid prawn fisheries of Western Australia. In: Caddy, J. F. (Ed). *Scientific approaches to management of shell fish resources*. John Wiley and Sons, New York, 115-140.
- Penn, JW, Watson, RA, Caputi, N & Hall, N 1997, Protecting vulnerable stocks in multi-species prawn fisheries. In: Hancock, DA, Smith, DC, Grant, A & Beumer, JP (Eds). *Developing and sustaining world fisheries resources. The state of science and management*. CSIRO, Collingwood, Australia, 122-129.

## Refereed publications

- de Lestang, S, Hall, NG & Potter, IC 2003, Do the age compositions and growth of the crab *Portunus pelagicus* in marine embayments and estuaries differ? *J. mar. Biol. Ass. U.K.* **83** : 971-978.
- de Lestang, S, Hall, NG & Potter, IC 2003, Reproductive biology of the blue swimmer crab, *Portunus pelagicus* (Decapoda: Portunidae), in five water bodies on the west coast of Australia. *Fish. Bull. U.S.* **101**: 745-757.
- de Lestang, S, Hall, NG & Potter, IC 2003, Changes in density, age composition and growth rate of *Portunus pelagicus* in a large embayment in which fishing pressures and environmental conditions have been altered. *J. Crust. Biol.* **23**: 908-919.
- de Lestang, S, Hall, N & Potter, IC 2003, Influence of a deep artificial entrance channel on the biological characteristics of the blue swimmer crab *Portunus pelagicus* in a large microtidal estuary. *J. Exp. Mar. Biol. Ecol.* **295**:41-61.

- Hall, NG 1997, Delay-difference model to estimate the catch of different categories of the western rock lobster (*Panulirus cygnus*) for the two stages of the annual fishing season. *Marine and Freshwater Research*, **48**, 949-958.
- Hall, NG & Chubb, C 2001, The status of the western rock lobster, *Panulirus cygnus*, fishery and the effectiveness of management controls in increasing the egg production of the stock. *Marine and Freshwater Research*, **52**: 1657-67.
- Hall, NG & Penn, JW 1979, Preliminary assessment of effective effort in a two species trawl fishery for penaeid prawns in Shark Bay, Western Australia. *Rapports et Proces-Verbaux des Réunions, Cons. int. Explor. Mer*, **175**, 147-154.
- Hall, NG, Hesp, SA, & Potter, IC 2004, A Bayesian approach for overcoming inconsistencies in mortality estimates, using, as an example, data for *Acanthopagrus latus*. *Can. J. Fish. Aquat. Sci.*, **61**, 1202-1211.
- Hall, N.G., Smith, K.D., de Lestang, S. and Potter, I.C. (in press). Do the chelae of the males of three crab species undergo allometric changes that can be used to determine morphometric maturity. *ICES Journal of Marine Science*.
- Hesp, SA, Hall, NG & Potter, IC 2004, Size-related movements of *Rhabdosargus sarba* in three different environments and their influence on estimates of von Bertalanffy growth parameters. *Mar. Biol.* **144**:449-462.
- Hesp, SA, Potter, IC & Hall, NG 2002, Age and size composition, growth rate, reproductive biology, and habitats of the West Australian dhufish (*Glaucasoma hebraicum*) and their relevance to the management of this species. *Fish. Bull. U.S.*, **100**:214-227.
- Hesp, SA, Potter, IC & Hall, NG 2004, Reproductive biology and protandrous hermaphroditism in *Acanthopagrus latus*. *Env. Biol. Fish.*, **70**, 257-272.
- Laurenson, L, Potter, I, Lenanton, R & Hall, N 1993, The significance of length at sexual maturity, mesh size and closed fishing waters to the commercial fishery for the catfish *Cnidoglanis macrocephalus* in Australian estuaries. *Journal of Applied Ichthyology*, **9**, 210-221.
- Laurenson, LJB, Potter, IC & Hall, NG 1994, Comparisons between generalized growth curves for two estuarine populations of the eel tailed catfish *Cnidoglanis macrocephalus*. *Fishery Bulletin*, **92**, 880-889.
- Partridge, GJ, Sarre, GA, Hall, N, Jenkins, GI & Potter, IC 2004, Comparisons of growth rates of *Acanthopagrus butcheri* cultured from broodstock from two estuaries in which the genetic compositions and growth rates of this sparid differ. *Aquaculture*, **231**:51-58.
- Simpfendorfer, CA, Donohue, K, Hall, NG 2000, Stock assessment and risk analysis for the whiskery shark (*Furgaleus macki* (Whitley)) in south-western Australia. *Fisheries Research*, **47**: 1-17.
- Smith, K.D, Hall, N.G. and Potter, I.C. 2004. Relative abundances and size compositions of male and female champagne crabs, *Hypothalassia acerba* (Brachyura : Eriphiidae), on two coasts and in different water depths and seasons. *Mar. Freshwat. Res.* **55**, 653-661.
- Smith, K.D., Hall, N.G., de Lestang, S. and Potter, I.C. 2004. Potential bias in estimates of the size of maturity of crabs derived from trap samples. *ICES*, **61**, 906-912.

- Stephenson, PC & Hall, NG 2003, Quantitative determination of the timing of otoliths ring formation from marginal increments in four marine teleost species from northwestern Australia. *Fish. Bull.*, **101**: 900-909.
- Walters, C, Hall, N, Brown, R & Chubb, C 1993, Spatial model for the population dynamics and exploitation of the Western Australian rock lobster, *Panulirus cygnus*. *Can. J. Fish. Aquat. Sci.*, **50**, 1650-1662.
- White, WT, Hall, NG & Potter, IC 2002, Reproductive biology and growth during pre- and postnatal life of *Trygonoptera personata* and *T. mucosa* (Batoidea: Urolophidae). *Mar. Biol.* **140**: 699-712.
- White, WT, Hall, NG & Potter, IC 2002, Size and age compositions and reproductive biology of the nervous shark *Carcharhinus caudus* in a large subtropical embayment, including an analysis of growth during pre- and postnatal life. *Mar. Biol.* **141**: 1153-1164.